Original article

Job burnout and related factors among employees of a private distribution company in building materials business

DOI: 10.14456/jmbs.2023.14

Sarochapatch Techarojanakan¹, Siriluck Suppapitiporn^{2,*}

Abstract

Background: Burnout has impacted the quality of life (QOL) in both workers' physical and mental aspects. In building materials business, the competition is more intense. Providing exceptional service to customers to gain market share and growth of online sales in COVID-19 leads to facing more responsibilities with limited resource. This study could raise awareness to preventive and protective solution for the employees.

Objective: This study aimed to identify the level of job burnout and related factors among employees of a private distribution company in building materials business.

Methods: A cross-sectional study was conducted on 331 employees of a private distribution company in the building materials business from January 2022 to April 2022. The data was collected by an online survey using a demographic and a work-related questionnaire, the World Health Organization Quality of Life Brief – Thai (WHOQOL-BREF-THAI), the Revised - Thai Multi-dimensional Scale of Perceived Social Support (r-Thai-MSPSS), and the Maslach Burnout Inventory – General Survey (MBI-GS) in Thai version.

Results: The study found the high level of job burnout among subjects in each dimension, emotional exhaustion was 46.2%, cynicism was 48.9%, and professional efficacy was 45.9%. Chi-square test showed that some personal and work-related factors were associated with job burnout in emotional exhaustion and cynicism domain. The risk factors of high level in job burnout in emotional exhaustion and cynicism domain were 1 – 10 years of work experience, non-management level, and heavy workload. The long working hour (> 8 hours/day) was a risk factor in emotional exhaustion domain. Low – moderate level of QOL was a risk factor of job burnout in all dimensions. Low-moderate level of social support was a predictive factors of job burnout in cynicism and professional efficacy domain.

Conclusion: Almost half of employees experienced the high level of job burnout in at least 1 dimension. The results could raise awareness in the organization for the preventive and protective solutions to reduce employee job burnout effectively.

Keywords: Burnout, private employee, quality of life, social support.

*Correspondence to: Siriluck Suppapitiporn, Department of Psychiatry, Faculty of Medicine, Chulalongkorn

University, Bangkok 10330, Thailand. E-mail: siriluckspp@gmail.com

Received: May 7, 2022 **Revised:** June 15, 2022 **Accepted:** July 20, 2022

¹Program in Mental Health, Department of Psychiatry, Faculty of Medicine, Chulalongkorn University, Bangkok, Thailand

²Department of Psychiatry, Faculty of Medicine, Chulalongkorn University, Bangkok, Thailand

Nowadays, burnout has impacted the quality of life in both workers' physical and mental aspects. (1) Burnout has been an interesting topic for researchers in many countries. There are various theories, developed models, and researches in these few decades and plenty of them focus on human service careers, especially in healthcare workers. (2)

In 2019, World Health Organization (WHO) officially classified burnout as an occupation phenomenon in the 11th Revision of the International Classification of Diseases (ICD-11). It is defined as a syndrome resulting from chronic workplace stress that has not been successfully managed in the context of work or occupation only. (3)

In 2019, the College of Management, Mahidol University study of 1,280 subjects found that the state enterprise officer, private sector employees, and government employees had a high level of burnout, respectively. The main factor correlated to burnout was work overload. (4)

In the recession of economic activity and the COVID-19 pandemic, the organizations need to lay off workers to reduce their operating costs. The result of this situation leads to an increase of more workloads and responsibilities to the employees. Currently, digital communication technologies connect people easily and faster, employees must be ready for work that may occupy their leisure time and affect chronic work stress. (5) Moreover, living in a city with high population density, high cost of living, traffic congestion, pollution, high competition, and loneliness or isolation, all these factors can affect the quality of life.

Recently, the research about job burnout has been mostly studied in healthcare workers such as physicians, nurses, and social workers. In contrast, private company employees have been rarely studied in Thailand. The labor indicator from the National Statistical Office showed that 40.4% of employment was private-sector employees. (6) The employees need to adjust themselves while facing more responsibilities to online customers that could affect mental health and work stress. Accordingly, this study aimed to study job burnout and related factors among the employees of a private distribution company in building materials business. The result of this study should raise awareness of job burnout and be a benefit to the organization for creating a positive work environment and supportive workplace that can boost employee mental health.

Materials and methods

A cross-sectional descriptive study was used as a research methodology. A total of 331 subjects, was calculated by Yamane's formula with a 95% confidence level. The online questionnaire was sent to 1,383 employees in distribution company in building materials business. The population had to meet inclusion criteria comprising of the employee in all levels (operation, supervisor, management level), 1-year experience, and willingness to participate in this study by giving consent. The exclusion criteria were the person who was on vacation, personal leave, sick leave, maternity leave, ordination leave or study leave, and a temporary employee. There were 350 subjects completed the online questionnaire and 331 met the criteria (24.0%) which was included in this study.

All subjects were invited to provide information by using an online questionnaire. This study consisted of five sections: 1) demographic data; 2) job-related data; 3) World Health Organization Quality of Life Brief - Thai (WHOQOL-BREF-THAI) available for the public, translated and developed by Mahatnirunkul S, et al. (7) with Cronbach's alpha coefficient of 0.8406; 4) Revised - Thai Multidimensional Scale of Perceived Social Support (r-Thai-MSPSS) developed by Wongpakaran N, et al. (8) with Cronbach's alpha coefficient of 0.91 for the student group and 0.87 for the patient group; 5) Maslach Burnout Inventory – General Survey (MBI-GS) in Thai version developed by Maslach C, et al. and translated to Thai by Kleebbua C. (9) with Cronbach's alpha coefficient of 0.832, 0.901, and 0.839 for emotional exhaustion, cynicism, and professional efficacy respectively.

This study was approved by the Institutional Review Board (IRB), the Faculty of Medicine, Chulalongkorn University (COA no. 584/64).

Statistical analysis

All data were analyzed by using IBM SPSS version 22.0 for Windows. Descriptive statistics were used to describe the characteristics of the sample population including the frequency, percentage, mean, standard deviation (SD) odd ratio (OD) and 95% confidence interval (CI). Pearson's Chi-square test was used for finding the association among factors related to job burnout. Logistics regression was used to predict the probability of related factors to job burnout by using the forward likelihood ratio. P < 0.05 was considered statistically significant.

Results

Demographic data

In the study of 331 employees, most of them were male (57.4%) at the age of 31 – 40 years (61.0%) with Bachelor's Degree (60.1%), and more than half were single (54.1%) with no children (71.3%). Mostly the subjects were Buddhist (91.5%) and living in Bangkok (55.9%). The type of residence is a house (69.2%). Around a quarter of subjects had average income between 40,001 – 60,000 Baht (25.4%). Most of them had adequate income with savings (75.5%) and a low level of family burden (48.6%). The majority of subjects had no medical disease (83.4%) and were non-smokers (82.5%) also light drinkers (68.3%). Most

of them exercised sometimes (60.1%) and had between 6-8 hours of sleep (77.9%) (Table 1).

Work-related data

Less than half had a work experience between 1-10 years (43.2%) in supervisor position (75.2%) of distribution business (30.5%) and customer service business (13.0%) respectively. Mostly the workplace-based was in the headquarter or main office (84.0%). A hybrid workplace was mainly a working model (72.2%). Most of them used personal vehicle (77.3%) and spent the commute time from home to work was around 30-60 minutes (47.1%). The majority of participants worked 5 days a week (86.1%) with

Table 1. Demographic data (n = 331).

| Demographic data | N (%) | Demographic data | N (%) | |
|--|------------|---|------------|--|
| Gender | | Income (THB) | | |
| Male | 190 (57.4) | ≤20,000 | 6(1.8) | |
| Female | 141 (42.6) | 20,001 - 40,000 | 55 (16.6) | |
| Age (years) | , | 40,001 - 60,000 | 84 (25.4) | |
| 21-30 | 54(16.3) | 60,001 - 80,000 | 64 (19.3) | |
| 31 - 40 | 202 (61.0) | 80,001 - 100,000 | 42 (12.7) | |
| 41 - 50 | 63 (19.0) | >100,000 | 80 (24.2) | |
| 51 - 60 | 12(3.6) | Economic status | , | |
| (Min = 22, Max = 59, Mean = 36.5, SD = | | Adequate income with savings | 250 (75.5) | |
| Education | , | Adequate income without savings | 69 (20.8) | |
| Lower than Bachelor's Degree | 13 (3.9) | Inadequate income | 12(3.6) | |
| Bachelor's Degree | 199 (60.1) | Family burden | , , | |
| Master's Degree | 116(35.0) | Low | 161 (48.6) | |
| Doctorate Degree | 3 (0.9) | Moderate | 146 (44.1) | |
| Marital status | , | High | 24(7.3) | |
| Single | 179 (54.1) | Medical disease | , , | |
| Married | 145 (43.8) | No | 276 (83.4) | |
| Separated | 3 (0.9) | Yes | 55 (16.6) | |
| Divorced | 3 (0.9) | Smoking | , | |
| Widowed | 1 (0.3) | Never | 273 (82.5) | |
| Children | ` / | Quit | 38(11.5) | |
| No children | 236 (71.3) | Current smoking | 20(6.0) | |
| 1 | 53 (16.0) | Drinking | . , | |
| 2 | 39(11.8) | Never | 66 (19.9) | |
| 3 | 2(0.6) | Quit | 20(6.0) | |
| 4 | 1 (0.3) | Occasionally | 226 (68.3) | |
| Religion | ` / | Often | 19(5.7) | |
| Buddhism | 303 (91.5) | Exercise | . , | |
| Christianity | 10(3.0) | Usually | 69 (20.8) | |
| Islam | 6(1.8) | Sometimes | 199 (60.1) | |
| Others | 12(3.6) | Never | 63 (19.0) | |
| Hometown | | Hour of sleep (hours) | , | |
| Bangkok | 185 (55.9) | 3-5 | 69 (20.8) | |
| Upcountry | 146 (44.1) | 6 - 8 | 258 (77.9) | |
| Type of residence | , , | 9 - 10 | 4(1.2) | |
| House | 229 (69.2) | (Min = 3, Max = 10, Mean = 6.2, SD = 1.0) | ` ′ | |
| Condominium | 92 (27.8) | , , , | | |
| Apartment | 10(3.0) | | | |

8-10 working hours (87.3%) average at 9.1 hours a day and sometimes exceed their normally scheduled working hours as overtime (64.0%). The benefit from the company mostly was adequate (83.1%). The workload in moderate level (50.8%) was closed to the heavy workload (48.6%) (Table 2).

Quality of life data

The quality of life level was mostly in moderate level at 75.8%, high level at 21.8%, and low level at 2.4% respectively (Table 2).

Social support data

Most of subject had the high level of social support at 61.6%, moderate level at 37.2%, and low level at 1.2% (Table 2).

Job burnout data

Maslach Burnout Inventory – General Survey (MBI-GS) found that the high level of emotional exhaustion cynicism, and professional efficacy were 46.2%, 48.9%, and 45.9% sequentially. There was 28.1% of high level of burnout with 1 domain, 26.6 of high level of burnout with 2 domains, and 19.9% of high level of burnout with all domains (Table 3).

Various factors affect job burnout

According to Table 4, the Chi-square test examined the association between studied factors and job burnout.

Age, marital status, number of children, type of residence, average income, economic status, family burden, exercises, hour of sleep, work experience, work position, work commute, commute time, working hours, workload, quality of life, and social support were associated with job burnout in emotional exhaustion domain (P < 0.05).

Table 2. Work-related data, quality of life, and social support data (n = 331).

| Work-related data | N (%) | Work-related data | N (%) |
|--|------------|---|------------|
| Work experience (years) | | Working model | |
| 1-10 | 143 (43.2) | Office | 11(3.3) |
| 11-20 | 137 (41.4) | Office and fieldwork | 45 (13.6) |
| 21 - 30 | 46 (13.9) | Office and work from home | 239 (72.2) |
| >30 | 5(1.5) | Work from home | 36(10.9) |
| (Min = 1, Max = 36, Mean = 12.7, SD = 6.9) |) | Work commute | |
| Work position | | Personal vehicle | 256 (77.3) |
| Operation | 28 (8.5) | Public transport | 55 (16.6) |
| Supervisor | 249 (75.2) | Walk | 6(1.8) |
| Management | 54(16.3) | Company vehicle | 14 (4.2) |
| Department | | Commute time (minutes) | |
| Marketing Office | 20(6.0) | <30 | 125 (37.8) |
| Business Transformation | 9(2.7) | 30-60 | 156 (47.1) |
| Strategic Planning | 6(1.8) | >60 | 50 (15.1) |
| Customer Services Business | 43 (13.0) | Working days | |
| Supply Chain Management | 23 (6.9) | 5 | 285 (86.1) |
| Customer Experience | 12 (3.6) | 6 | 40(12.1) |
| Dealer Based Retail | 7 (2.1) | 7 | 6(1.8) |
| Distribution Business | 101 (30.5) | (Min = 5, Max = 7, Mean = 5.2, SD = 0.4) | |
| Central Sourcing | 14 (4.2) | Working hours | |
| Credit and Financial Technology | 18 (5.4) | 8 - 10 | 289 (87.3) |
| Information Technology | 15 (4.5) | 11 - 12 | 29 (8.8) |
| Home Retail | 29(8.8) | >12 | 13 (3.9) |
| Nexter Digital | 14 (4.2) | (Min = 8, Max = 13, Mean = 9.1, SD = 1.4) | |
| Large Store Project | 2(0.6) | Overtime | |
| Business-to-Business | 18 (5.4) | Always | 106 (32.0) |
| Workplace | | Sometimes | 212 (64.0) |
| Headquarters / main office | 278 (84.0) | Never | 13 (3.9) |
| Regional | 37(11.2) | | |
| Branch | 2 (0.6) | | |
| Headquarters / Regional / Branch | 14 (4.2) | | |

Heavy

204 (61.6)

Work-related data N (%) Quality of life data N (%) **Benefits** Low 8(2.4)Moderate 251 (75.8) Inadequate 55 (16.6) Adequate 275 (83.1) High 72 (21.8) More than adequate 1(0.3)Workload Social support data N (%) 2(0.6)Low 4(1.2) Low Moderate 168 (50.8) Moderate 123 (37.2)

High

161 (48.6)

Table 2. (Cont.) Work-related data, quality of life, and social support data (n = 331).

Table 3. Job burnout in all dimensions (n = 331).

| Variables | Level of job burnout | | | | |
|--|----------------------|-------------------|---------------|--|--|
| | Low N (%) | Moderate N (%) | High N (%) | | |
| Emotional exhaustion (Min = 0, Max = 30, Mean = 15.6, SD = 8.7) | 114 (34.4) | 64 (19.3) | 153 (46.2) | | |
| Cynicism (Min = 0, Max = 30, Mean = 12.3, SD = 8.6) | 87 (26.3) | 82 (24.8) | 162 (48.9) | | |
| Professional efficacy (Min=0, Max=36, Mean=24.9, SD=7.5) | 106 (32.0) | 73 (22.1) | 152 (45.9) | | |

The factors that related to job burnout in cynicism domain were age, education level, marital status, number of children, average income, economic status, exercises, work experience, work position, work commute, commute time, working hours, benefit, workload, quality of life, and social support (P<0.05).

Quality of life and social support were the factors that related to job burnout in the professional efficacy domain (P < 0.05).

According to Table 5, the logistic regression was used to predict the correlation between job burnout and related factors. The employees who had a work experience 1 - 10 years (OR = 1.848, P < 0.05), position in non-management level (OR = 3.716, P < 0.01), more than 8 working hours a day (OR = 2.065, P < 0.01), heavy workload (OR = 2.130, P < 0.01) and low-moderate level of quality of life (OR = 2.148, P < 0.05), can predict the increase of job burnout in this domain as the risk factors.

Regarding cynicism domain, the factors that can predict the increase of job burnout are a work experience 1 - 10 years (OR = 2.398, P < 0.01), position in non-management level (OR = 2.971, P < 0.01), heavy workload (OR = 2.449, P < 0.01), low-moderate level of quality of life (OR = 2.777, P < 0.01), and low-moderate level of social support life (OR = 1.855, P < 0.05)

The last domain of job burnout is professional efficacy. The result showed that the factors which can predict the increase of job burnout in this domain were low-moderate level of quality of life (OR = 2.428, P < 0.01), and low-moderate level of social support life (OR = 2.161, P < 0.01).

 Table 4. Associations among related factors and job burnout in all domains.

| | Emoti | Emotional exhaustion | uo uo | | Cynicism | | Profess | Professional efficacy | |
|---|--------------------------------------|-------------------------------------|-----------|--------------------------------------|-------------------------------------|-------------|--------------------------------------|-------------------------------------|---------|
| Variables | Lowand moderate n (%) | High n (%) | P-value | Low and moderate n (%) | High n (%) | P-value | Low and moderate n (%) | High n (%) | P-value |
| Age (years) 21 – 30 31 – 40 > 40 | 24 (44.4) 99 (49.0) 55 (73.3) | 30(55.6) 103 (51.0) 20(26.7) | <0.001*** | 20 (37.0) 94 (46.5) 55 (73.3) | 34(63.0) 108(53.5) 20(26.7) | < 0.001 *** | 33(61.1) 106(52.5) 40(53.3) | 21 (38.9) 96 (47.5) 35 (46.7) | 0.522 |
| Education Lower than Bachelor's Degree Bachelor's Degree Higher than Bachelor's Degree | 8 (61.5) 103 (51.8) 67 (56.3) | 5(38.5) 96(48.2) 52(43.7) | 0.623 | 10 (76.9) 88 (44.2) 71 (59.7) | 3(23.1) 111(55.8) 48(40.3) | 0.005** | 8(61.5) 109(54.8) 62(52.1) | 5 (38.5) 90 (45.2) 57 (47.9) | 0.772 |
| Married Married | 89 (47.8) 89 (61.4) | 97 (52.2) | 0.014* | 85 (45.7) 84 (57.9) | 101 (54.3) 61 (42.1) | 0.027* | 100 (53.8) 79 (54.5) | 86 (46.2) | 968.0 |
| Children No Yes | 118(50.0) 60(63.2) | 118 (50.0) 35 (36.8) | 0.030* | 111 (47.0) 58 (61.1) | 125(53.0) 37(38.9) | 0.021* | 132 (55.9) 47 (49.5) | 104 (44.1) 48 (50.5) | 0.286 |
| Lype of restaence House Condominium/Apartment | 133 (58.1) 45 (44.1) | 96 (41.9) 57 (55.9) | 0.019* | 122 (53.3) 47 (46.1) | 107 (46.7) 55 (53.9) | 0.227 | 119 (52.0) 60 (58.8) | 110 (48.0) 42 (41.2) | 0.248 |
| mcome (1115) ≤ 40,000 40,001 - 80,000 > 80,000 | 33 (54.1) 64 (43.2) 81 (66.4) | 28 (45.9) 84 (56.8) 41 (33.6) | 0.001** | 29 (47.5) 56 (37.8) 84 (68.9) | 32 (52.5) 92 (62.2) 38 (31.1) | <0.001** | 41 (67.2) 75 (50.7) 63 (51.6) | 20 (32.8) 73 (49.3) 59 (48.4) | 0.073 |
| Adequate income with savings Adequate income without savings Inadequate income | 148 (59.2) 27 (39.1) 3 (25.0) | 102 (40.8) 42 (60.9) 9 (75.0) | 0.002** | 139(55.6) 26(37.7) 4(33.3) | 111 (44.4) 43 (62.3) 8 (66.7) | 0.014* | 131 (52.4) 42 (60.9) 6 (50.0) | 119 (47.6) 27 (39.1) 6 (50.0) | 0.439 |
| Low Moderate High | 94 (58.4) 77 (52.7) 7 (29.2) | 67 (41.6) 69 (47.3) 17 (70.8) | 0.026* | 88 (54.7) 73 (50.0) 8 (33.3) | 73 (45.3) 73 (50.0) 16 (66.7) | 0.141 | 94 (58.4) 72 (49.3) 13 (54.2) | 67 (41.6) 74 (50.7) 11 (45.8) | 0.281 |
| Exercise Usually Sometimes Never | 45 (65.2) 108 (54.3) 25 (39.7) | 24(34.8) 91(45.7) 38(60.3) | 0.013* | 39 (56.5) 108 (54.3) 22 (34.9) | 30 (43.5) 91 (45.7) 41 (65.1) | 0.016* | 42 (60.9) 109 (54.8) 28 (44.4) | 27 (39.1) 90 (45.2) 35 (55.6) | 0.159 |

Table 4. (Cont.) Associations among related factors and job burnout in all domains.

| | Emo | Emotional exhaustion | ion | | Cynicism | | Profes | Professional efficacy | с'n |
|---|-------------------------------------|--------------------------------------|-------------|--------------------------------------|--------------------------------------|-------------|--------------------------------------|-------------------------------------|-------------|
| Variables | Low and moderate n (%) | High n (%) | P-value | Low and moderate n (%) | High n (%) | P-value | Lowand moderate n (%) | High n (%) | P-value |
| Hour of sleep (hours) <pre></pre> | 103 (49.5) 75 (61.0) | 105 (50.5) 48 (39.0) | 0.043* | 100 (48.1) 69 (56.1) | 108 (51.9) 54 (43.9) | 0.158 | 108 (51.9) 71 (57.7) | 100 (48.1) 52 (42.3) | 0.306 |
| Work experience (years) $1-10$ $11-20$ >20 | 59 (41.3) 78 (56.9) 41 (80.4) | 84(58.7) 59(43.1) 10(19.6) | < 0.001 *** | 51 (35.7) 81 (59.1) 37 (72.5) | 92 (64.3) 56 (40.9) 14 (27.5) | < 0.001 *** | 80 (55.9) 72 (52.6) 27 (52.9) | 63 (44.1) 65 (47.4) 24 (47.1) | 0.837 |
| Work position Operation Supervisor Management | 16(57.1) 118(47.4) 44(81.5) | 12 (42.9) 131 (52.6) 10 (18.5) | < 0.001 *** | 15 (53.6) 111 (44.6) 43 (79.6) | 13 (46.4) 138 (55.4) 11 (20.4) | < 0.001 *** | 20 (71.4) 129 (51.8) 30 (55.6) | 8(28.6) 120(48.2) 24(44.4) | 0.138 |
| Work commute Personal / company vehicle Public transport / walk | 153 (56.7) 25 (41.0) | 117 (43.3) 36 (59.0) | 0.026* | 147 (54.4) 22 (36.1) | 123 (45.6) 39 (63.9) | 0.010** | 143 (53.0) 36 (59.0) | 127 (47.0) 25 (41.0) | 0.392 |
| Commute time (minutes) <30 30-60 >60 | 61 (48.8) 82 (52.6) 35 (70.0) | 64 (51.2) 74 (47.4) 15 (30.0) | 0.036* | 59 (47.2) 81 (51.9) 29 (58.0) | 66 (52.8) 75 (48.1) 21 (42.0) | 0.416 | 73 (58.4) 84 (53.8) 22 (44.0) | 52 (41.6) 72 (46.2) 28 (56.0) | 0.224 |
| Working nours 8 >8 | 111 (63.8) 67 (42.7) | 63 (36.2) 90 (57.3) | < 0.001 *** | 100 (57.5) 69 (43.9) | 74 (42.5) 88 (56.1) | 0.014* | 98 (56.3) 81 (51.6) | 76 (43.7) 76 (48.4) | 0.389 |
| Inadequate Adequate | 26(47.3) 152(55.1) | 29(52.7) 124(44.9) | 0.289 | 21 (38.2) 148 (53.6) | 34(61.8) 128(46.4) | 0.036* | 32 (58.2) 147 (53.3) | 23 (41.8) 129 (46.7) | 0.504 |
| Workfoad Low and moderate Heavy | 112(65.9) 66(41.0) | 58 (34.1) 95 (59.0) | < 0.001 *** | 105 (61.8) 64 (39.8) | 65 (38.2) 97 (60.2) | <0.001 *** | 92 (54.1) 87 (54.0) | 78 (45.9) 74 (46.0) | 0.988 |
| Low and moderate High | 124(47.9) 54(75.0) | 135 (52.1) 18 (25.0) | < 0.001 *** | 113 (43.6) 56 (77.8) | 146 (56.4) 16 (22.2) | < 0.001 *** | 126 (48.6) 53 (73.6) | 133 (51.4) 19 (26.4) | <0.001*** |
| Social Support Low and moderate High | 58 (45.7) 120 (58.8) | 69 (54.3) 84 (41.2) | 0.020* | <i>5</i> 2 (40.9) 117 (57.4) | 75 (59.1) 87 (42.6) | 0.004** | 51 (40.2) 128 (62.7) | 76 (59.8) 76 (37.3) | < 0.001 *** |
| | | | | | | | | | |

*P < 0.05, **P < 0.01, ***P < 0.001

Table 5. The prediction of the correlation between related factors and job burnout was tested by logistic regression.

| Variables | В | S.E. (B) | P-value | Adjusted | 95% (| CI of |
|--|-------|----------|-----------|----------|--------|-------|
| | | | | ÖR | Adjust | ed OR |
| | | | | | Lower | Upper |
| Emotional exhaustion | | | | | | |
| Work experience (1 - 10 years) | 0.614 | 0.258 | 0.017* | 1.848 | 1.114 | 3.065 |
| Work position (Non-management level ^a) | 1.313 | 0.413 | 0.001** | 3.716 | 1.653 | 8.353 |
| Working hours (> 8 hours) | 0.725 | 0.263 | 0.006** | 2.065 | 1.234 | 3.455 |
| Workload (Heavy workload) | 0.756 | 0.261 | 0.004** | 2.130 | 1.277 | 3.550 |
| Quality of life (Low-Moderate QOL) | 0.765 | 0.322 | 0.017* | 2.148 | 1.144 | 4.036 |
| Cynicism | | | | | | |
| Work experience (1 - 10 years) | 0.875 | 0.262 | 0.001** | 2.398 | 1.435 | 4.008 |
| Work position (Non-management level ^a) | 1.089 | 0.404 | 0.007** | 2.971 | 1.347 | 6.553 |
| Workload (Heavy workload) | 0.896 | 0.250 | < 0.001** | 2.449 | 1.501 | 3.996 |
| Quality of life (Low-Moderate QOL) | 1.022 | 0.337 | 0.002** | 2.777 | 1.434 | 5.380 |
| Social support (Low-Moderate social support) | 0.681 | 0.261 | 0.018* | 1.855 | 1.113 | 3.090 |
| Professional efficacy | | | | | | |
| Quality of life (Low-Moderate QOL) | 0.887 | 0.303 | 0.003** | 2.428 | 1.341 | 4.397 |
| Social support (Low- Moderate social support) | 0.770 | 0.238 | 0.001** | 2.161 | 1.354 | 3.447 |

^{*}P<0.05, **P<0.01***, P<0.001

Discussion

This study evaluated the prevalence and factors associated with job burnout among employees of a private distribution company in building materials business. Nearly half of the subjects had the high level of job burnout in each dimension. Comparing to the previous studies in pharmaceutical representatives of international pharmaceutical company (10) and corporate employees (11), there were differences in the prevalence of burnout due to the various professions and organizations. Many researches showed that the high level of job burnout mostly occurred to healthcare workers. Hence, this study showed that the private company employees had a job burnout in high level either.

Among the demographic factors examined, age, education level, marital status, number of children, type of residence, average income, economic status, family burden, exercises and hour of sleep were found to be significantly associated with job burnout. Comparing to the previous studies of Skunpimolrat P. (12) in operation employees, older people have more experience, are more mature, and they are better in dealing with stress and emotion. The employees with higher education degree were found the high level of job burnout since they have more complicated job, complex in communication to other departments, and more responsibilities which is difference from the study of Yongcharoen P. (13)

in ship officers of the Royal Thai Navy. Married employees tend to be more stable in line with the previous study of Lerthattasilp T. (14) in psychiatrists in Thailand. Having children has less level of job burnout because the employees are more experienced in dealing with interpersonal and emotional conflicts in line with the study of Vichanjalearnsuk V. (10) in pharmaceutical representatives. There is blurred line between work and living space. Living in condominium may face more stress, isolation, and lack of interpersonal communication that lead to emotional exhaustion which is in accordance with the study of Oakman J, et al. (15) High-income employees had higher level of job burnout since they had more responsibilities similarly to the study of Therdthoonphuphuch WS. (16) in licensed lawyers. The employees who had an inadequate income need to work hard for more rewards find part-time job for more income. Regarding to this reason, it caused chronic stress, workload, less leisure time, and job burnout which difference from Ampornmunee N. (17) in police inquiry officials. High level of family burden had a high level of emotional exhaustion due to taking care of family members such as money, parenting, elder care which is not found the association of this factoe in the previous study. (10) Exercising helps people having lower level of job burnout which is compatible with the study of Bretland RJ, et al. (18)

^a Non-management level = operation level, supervisor level

Sleeping less than six hours each night tends to have an emotional exhaustion. This result is accordance to the studies of Peterson SA, *et al.* ⁽¹⁹⁾ in police officers and Metlaine A, *et al.* ⁽²⁰⁾ in financial workers.

According to work-related factors, work commute, commute time, and benefits are significantly associated with job burnout. Using public transport or walk could be more stress and concerned since it's hard to estimate the commute time, causes health effects from air pollution, and it's considered risky of the COVID-19 epidemic as a contagious disease which is different from the previous study of Barreck A. (21) in Canadian employees. Commute time within 30 minutes may cause the emotional exhaustion because the employees spend less time for commuting and more time for work especially in the evening that also contrast with previous study from Barreck A. (21) As for the benefit, the employees who had insufficient benefit had high level of cynicism which is similar to the study of Maslach C, et al. (22) Lack of benefit can lead to loss of job satisfaction.

Logistic regression analysis showed that there were six factors predicting job burnout. This study found that 1 - 10 years working experience was one of the risk factors to the high level of job burnout in emotional exhaustion and cynicism since the older employees have more work experience and more controllable their emotion than the youngers in line with Therdthoonphuphuch WS. (16) which study on the licensed lawyers at the Thai Lawyers Council. Work position in operation and supervisor level was also a risk factor, the higher position the employees get, the more authority they can have. To have a right or be involved foreseeing the future of the organization might be a meaningful thing for employees and might reduce the risk of chronic strain compatibly with the study of Maslach C, et al. (23) Long working hours (> 8 hours/day) could predict the high level of job burnout in emotional exhaustion. Nowadays, due to the advance technology, there are many ways to communicate from anywhere conveniently. This is the reason why people can set up the online meeting easily. Although it is a suitable way for remote workers (work from home), the employees spent too much time in meeting and used the leisure time for daily routine which is different from the study of Therdthoonphuphuch WS. (16), showing that less than 8 working hours/day was a predictive to job burnout. Heavy workload could positively impact to job burnout in emotional exhaustion and cynicism. The employees were more intense and stress due to loads of work, multi-tasking, complex condition, and instantly response to online customers. This result is consistent with the previous study of Lertwilai W. (24) in medical technologist. Low-moderate level of quality of life could be predictive factor to job burnout. Comparing to the previous study of Choi YG, et al. (25) in workers in one electronics company and Xiao Y, et al. (26) in working women, having a high level of quality of life could reduce job burnout since it could increase the well-being and life satisfaction. Lastly, low-moderate level of social support is a risk factor to job burnout in cynicism and professional efficacy. Comparing to the previous studies of Lin QH, et al. (27) in managers in a joint venture company and Di Mattei VE, et al. (28) in healthcare workers. Social support from family, friends, significant ones, managers, and colleagues is an effective way to deal with stress and may prevent mental health problems. The employees would feel safe and have someone to turn to in times of need or crisis.

This current study has several limitations. Firstly, this research was a cross-sectional descriptive study. The collected data from the subjects could not be a representative of private employees in Thailand. Secondly, during the COVID-19 pandemic, the researcher had to change the collecting data method from offline to online survey since most of employees had to work from home by the company's policy. From this reason, spending time on collecting data was led to the delay from plan. Finally, future study may repeat with a larger and more representative sample from other private companies or more factors that could be associated with job burnout.

Conclusion

In summary, almost half of employees experienced the high level of job burnout at least in 1 dimension. More than 10-year work experience, management level, high level of quality of life, and high level of social support were negatively correlated with emotional exhaustion and cynicism. On the other hand, heavy workload was positively correlated with emotional exhaustion and cynicism domain. Besides, 8 hours a day of working hour was only positively correlated with cynicism. As for the high quality of life and social support, they were protective factors of job burnout in all dimensions. This study would be beneficial for the organization to raise awareness for providing the preventive and protective solution to reduce employee's job burnout and promote employee mental health effectively.

Conflict of interest statement

Each of the authors has completed an ICMJE disclosure form. None of the authors declare any potential or actual relationship, activity, or interest related to the content of this article.

Data sharing statement

The present review is based on the reference cited. Further details, opinions, and interpretation are available from the corresponding authors on reasonable request.

References

- 1. Sithisarankul P. Burnout. Lor Chula 2019;41:12-3.
- Maslach C, Leiter MP. Understanding the burnout experience: recent research and its implications for psychiatry. World Psychiatry. 2016;15:103-11.
- 3. World Health Organization. Burn-out an "occupational phenomenon": International Classification of diseases [Internet]. Geneva: World Health Organization: 2019 [cited 2021 Jan 5]. Available from: https://www.who.int/news/item/28-05-2019-burn-out-an-occupational-phenomenon-international-classification-of-diseases.
- Posttoday. Burnout in the city Ngan Wi Jai Chee Chao Krung Wai Tum Ngan Gern Krueng Siang Mod Fai [Internet]. Posttoday: Bangkok; 2020 [cited 2021 Jan 14]. Available from: https://www.posttoday.com/life/ work-life-balance/613654.
- Palitponganpim P. Tang Ngan Lae Sing Wad Lom. In: Palitponganpim P, editor. Burn-out Syndrome Pa Wa Mod Fai Nai Garn Tum Ngan. Bangkok: Amarin Health Amarin Printing and Publishing; 2019. p.9
- Social Statistics Division of National Statistical Office. Poo Tum Ngan Tarm Sa Tha Na Parb Garn Tum Ngan. Tua Chee Wad Rang Ngan Por Sor 2562. Bangkok: Forecast Division of National Statistical Office; 2020. p.22.
- Mahatnirunkul S, Tantipiwatanaskul W, Pumpaisanchai W, Wongsuwan K, Pornmanajirangul R. Comparison of the WHOQOL-100 and the WHOQOL-BREF (26 items). Chiang Mai: Suanprung Hospital; 1997.
- 8. Wongpakaran N. Wongpakaran T. A revised version of the Thai Multidimensional Scale of Perceived Social Support (MSPSS). Span J Psychol 2012;15:1503-9.
- Kleebbua C. Development of the causal model of burnout at work: An application of the job demandresource model [thesis]. Bangkok: Chulalongkorn University; 2009.
- 10. Vichanjalearnsuk V. Job burnout and related factors

- among pharmaceutical representatives of international pharmaceutical company. [thesis]. Bangkok: Chulalongkorn University; 2020.
- 11. Lam LT, Lam MK, Reddy P, Wong P. Factors associated with work-related burnout among corporate employees amidst COVID-19 pandemic. Int J Environ Res Public Health. 2022;19:1295.
- 12. Skunpimonrat P. Burn out syndrome in the employee of The Vee Rubber Corporation Limited Company [thesis]. Bangkok: Silpakorn University; 2013.
- 13. Yongcharoen P. Prevalence and associated factors of burnout syndrome among ship officers of The Royal Thai Navy [thesis]. Bangkok: Chulalongkorn University; 2019.
- 14. Lerthattasilp T. Burnout among psychiatrists in Thailand: National survey. J Psychiatr Assoc Thailand. 2011:56:437-48.
- Oakman J, Kinsman N, Stuckey R, Graham M, Weale V. A rapid review of mental and physical health effects of working at home: how do we optimise health? BMC Public Health 2020;20:1825.
- 16. Therdthoonphuphuch WS. Work stress and burnout among lawyers who have licenses to practice law at Thai Lawyers Council under The Royal Patronage [thesis]. Bangkok: Chulalongkorn University; 2015.
- 17. Ampornmunee N. Prevalence and associated factors of burnout syndrome in inquiry officials in the Metropolitan Police Bureau. J Psychiatr Assoc Thailand 2021;66:39-52.
- 18. Bretland RJ, Thorsteinsson EB. Reducing workplace burnout: The relative benefits of cardiovascular and resistance exercise. Peer J. 2015;3:e891.
- Peterson SA, Wolkow AP, Lockley SW, O'Brien CS, Qadri S, Sullivan JP, et al. Associations between shift work characteristics, shift work schedules, sleep and burnout in North American police officers: A crosssectional study. BMJ Open. 2019; 9:e030302.
- Metlaine A, Sauvet F, Gomez-Merino D, Elbaz M, Delafosse JY, Leger D, et al. Association between insomnia symptoms, job strain and burnout syndrome: A cross-sectional survey of 1300 financial workers. BMJ Open. 2017;7:e012816.
- 21. Barreck A. Navettage et épuisement professionnel selon la région et le moyen de transport: les résultats de l'étude SALVEO [thesis]. Quebe, CA: Université de Montréal; 2015.
- Nuallaong W. Burnout symptoms and cycles of burnout: The comparison with psychiatric disorders and aspects of approaches. In: Bährer-Kohler S, editor. Burnout for experts. Boston, MA: Springer; 2013. p. 48.

- 23. Aydemir O, Icelli I. Burnout: risk factors. In: Bährer-Kohler S, editor. Burnout for experts. Boston, MA: Springer; 2013. p. 119-43.
- 24. Lertwilai W. Job burnout and related factors among medical technologist, Bangkok. [thesis]. Bangkok: Chulalongkorn University; 2020.
- 25. Choi YG, Choi BJ, Park TH, Uhm JY, Lee DB, Chang SS, et al. A study on the characteristics of Maslach Burnout Inventory-General Survey (MBI-GS) of workers in one electronics company. Ann Occup Environ Med. 2019;31:e29.
- 26. Xiao Y, Zhang T, Gu X, Lee J, Wang H. The roles of individual and psychosocial factors in predicting Quality of Life among working women in Shanghai. Int J Environ Res Public Health. 2020;17:1751.

- 27. Lin Q-h, Jiang C-q, Liu Y-m, Guo J-y, Lam TH. [Analysis of influential factors for job burnout among managers in a joint venture in Guangzhou, China]. Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2013;31: 902-5. Chinese.
- 28. Di Mattei VE, Perego G, Milano F, Mazzetti M, Taranto P, Di Pierro R, et al. The "healthcare workers' wellbeing (Benessere Operatori)" project: A picture of the mental health conditions of Italian healthcare workers during the first wave of the COVID-19 pandemic. Int J Environ Res Public Health. 2021;18: 5267.